

Date received: 04/11/20

Date of issue: 07/12/20

Report consists of 17 test reports.

Defects before testing: None

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

SEGIS S.P.A.  
VIA UMBRIA, 14 – LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

## SAMPLE N° 300109

Overall dimensions: 630 x 530 x 790(h) mm

### List of test reports:

1. Safety requirements EN 16139:2013+AC:2013
2. Information for use EN 16139:2013+AC:2013
3. Seat and back static load test EN 1728:2012+AC:2013
4. Vertical load on back rest EN 1728:2012+AC:2013
5. Arm downwards static load test EN1728:2012+AC:2013
6. Arm sideways static load test EN 1728:2012+AC:2013
7. Vertical upwards static load on arm rests EN 1728:2012+AC:2013
8. Seat and back fatigue test EN 1728:2012+AC:2013
9. Seat front edge durability test EN 1728:2012+AC:2013
10. Arm fatigue test EN 1728:2012+AC:2013
11. Leg forward static load test EN 1728:2012+AC:2013
12. Leg sideways static load test EN 1728:2012+AC:2013
13. Seat impact test EN 1728:2012+AC:2013
14. Back impact test EN 1728:2012+AC:2013
15. Arm rest impact test EN 1728:2012+AC:2013
16. Stability - EN 1022:2005
17. Stability EN 1022:2018, clause 7.3



*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

*Managing Director*  
*Dr. Andrea Giavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

## SAMPLE N° 300109


Date of issue: 07/12/20  
Sample weight: Not determined  
Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

## TEST REPORT

**300109 / 1**

Revision: 0  
Date received: 04/11/20  
Date of test: 11/11/20  
Date of issue: 07/12/20



Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

## Safety requirements EN 16139:2013+AC:2013

### Safety requirements clause 4

Statement checked	Remarks
Corner and edges in contact with the users: • Absence of sharp edges and corners	Yes
Edges on the handles: • Absence of sharp edges and corners in the direction of the force	Handles not present
Other edges: • Absence of sharp edges and corners	Yes
Accessible hollow components: • The ends of hollow components are closed or capped	Yes
Movable and adjustable parts: • It shall not be possible for any movable and adjustable part of the chair to come operate unintentionally.	Movable and adjustable parts not present
Connections between parts of the structure: • It shall not be possible for any load bearing part of the seating to come loose unintentionally	No
Parts which are lubricated: • All the parts which are lubricated shall be designed to protect users	Lubricated parts not present
Shear and squeeze points between movable parts $\geq 8 \text{ mm} \leq 25 \text{ mm}$ : • Shear and squeeze points under influence of powered mechanism • Shear and squeeze points during normal use and during normal movements and actions	Mechanism not present  No
Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013+AC:2013:	YES

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

## TEST REPORT

### 300109 / 2

Revision: 0  
Date received: 04/11/20  
Date of test: 07/12/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Information for use EN 16139:2013+AC:2013

### Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user	English language
Information regarding the intended use (Annex B of EN 16139:2013+AC:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface if the chair is fitted	Castors not present
Advice that only trained personnel may replace or repair seat height adjustment components with energy accumulators if the chair is fitted	Seat height adjustment not present

Conformity to clause 7 of standard EN 16139:2013+AC:2013:

**YES**

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

# TEST REPORT

## 300109 / 3

Revision: 0  
Date received: 04/11/20  
Date of test: 11/11/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Seat and back static load test EN 1728:2012+AC:2013

### Test performed according to EN 16139:2013+AC:2013

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

#### Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	560	10	No defects

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

#### Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giovon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

# TEST REPORT

## 300109 / 4

Revision: 0  
Date received: 04/11/20  
Date of test: 11/11/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Vertical load on back rest EN 1728:2012+AC:2013

### Test performed according to EN 16139:2013+AC:2013

Vertical static load on back rest clause 6.6, EN 1728:2012+AC:2013

#### Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

#### Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.



**TEST REPORT**

**300109 / 5**

Revision: 0  
Date received: 04/11/20  
Date of test: 11/11/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

**Arm downwards static load test EN1728:2012+AC:2013**

**Test performed according to EN 16139:2013+AC:2013**

Arm downwards static load test clause 6.11, EN 1728:2012+AC:2013

Test results:

Vertical force N	Number of applications	Remarks
750	5	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

# TEST REPORT

## 300109 / 6

Revision: 0  
Date received: 04/11/20  
Date of test: 11/11/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Arm sideways static load test EN 1728:2012+AC:2013

### Test performed according to EN 16139:2013+AC:2013

Arm sideways static load test clause 6.10, EN 1728:2012+AC:2013

#### Test results:

Horizontal force N	Number of applications	Remarks
400	10	No defects

#### Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giayon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.



# TEST REPORT

## 300109 / 7

Revision: 0  
Date received: 04/11/20  
Date of test: 11/11/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Vertical upwards static load on arm rests EN 1728:2012+AC:2013

### Test performed according to EN 16139:2013+AC:2013

Vertical upwards static load on arm rests clause 6.13, EN 1728:2012+AC:2013

Stacking seating clause 6.13.2, EN 1728:2012+AC:2013

Number of stacking seating declared by the customer: 4

Maximum load: 25 kg

### Test results:

Number of lifting cycles	Time of application s	Remarks
10	10	No defects

### Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

# TEST REPORT

## 300109 / 8

Revision: 0  
Date received: 04/11/20  
Date of test: 12/11/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Seat and back fatigue test EN 1728:2012+AC:2013

### Test performed according to EN 16139:2013+AC:2013

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013

#### Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

#### Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

*Managing Director*  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

## TEST REPORT

### 300109 / 9

Revision: 0  
Date received: 04/11/20  
Date of test: 25/11/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Seat front edge durability test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat front edge durability test clause 6.18, EN 1728:2012+AC:2013

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front and sides edges	800	50.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**  
**300109 / 10**

Revision: 0  
Date received: 04/11/20  
Date of test: 30/11/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

**Arm fatigue test EN 1728:2012+AC:2013**

**Test performed according to EN 16139:2013+AC:2013**

Arm fatigue test clause 6.20, EN 1728:2012+AC:2013

Test results:

Force on arm rest N	Number of cycles	Remarks
400	30.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giaven

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**

**300109 / 11**

Revision: 0  
Date received: 04/11/20  
Date of test: 02/12/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

**Leg forward static load test EN 1728:2012+AC:2013**

**Test performed according to EN 16139:2013+AC:2013**

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
500	1.000	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

*Managing Director*  
*Dr. Andrea Gjavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**  
**300109 / 12**

Revision: 0  
Date received: 04/11/20  
Date of test: 02/12/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

**Leg sideways static load test EN 1728:2012+AC:2013**

**Test performed according to EN 16139:2013+AC:2013**

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

**Test results:**

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

**Note:**

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

*Managing Director*  
*Dr. Andrea Giavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.



# TEST REPORT

**300109 / 13**

Revision: 0  
Date received: 04/11/20  
Date of test: 02/12/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Seat impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat impact test clause 6.24, EN 1728:2012+AC:2013

Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	240	point A	10	No defects
25	240	100 mm from the front seat edge	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

# TEST REPORT

**300109 / 14**

Revision: 0  
Date received: 04/11/20  
Date of test: 02/12/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Back impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Back impact test clause 6.25, EN 1728:2012+AC:2013

Test results:

Angle °	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

# TEST REPORT

**300109 / 15**

Revision: 0  
Date received: 04/11/20  
Date of test: 02/12/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Arm rest impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Arm rest impact test clause 6.26, EN 1728:2012+AC:2013

Test results:

Angle °	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

## TEST REPORT

**300109 / 16**

Revision: 0  
Date received: 04/11/20  
Date of test: 11/11/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

## Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 158 N

### Forwards overturning

Horizontal force : 20 N does not overturn

### Rearwards overturning

Fixed back chair

Horizontal force : 158 N does not overturn

### Tilting chair in the rearmost position

Loading discs on the seat : /

### Sideways overturning for chairs with arms

Horizontal force : 20 N does not overturn

### Sideways overturning for chairs without arms

Horizontal force : /

### Forwards overturning for chairs with footrest

Horizontal force : /

The test result complies with the requirements of EN 1022:2005

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

**TEST REPORT**  
**300109 / 17**

Revision: 0  
Date received: 04/11/20  
Date of test: 11/11/20  
Date of issue: 07/12/20



SEGIS S.P.A.  
VIA UMBRIA, 14 - LOC. FOSCI  
53036 POGGIBONSI (SI)  
ITALIA

Sample name: Collezione STAMP 4 GAMBE C/BRACCIOLI

**Stability EN 1022:2018, clause 7.3**

Type of chair: fixed geometry

Positioning of chair components: as specified in Table 1 of EN 1022:2018

Loads and masses according to table B1 of EN 1022:2018, annex B

**Forwards overturning**

Forwards overturning, clause 7.3.1 : does not overturn

Forwards overturning for seating with foot rest, clause 7.3.2 : /

Corner stability, clause 7.3.3 : does not overturn

**Sideways overturning**

Sideways overturning, all seating without arm rests, clause 7.3.4 : /

Seating with arm rests, clause 7.3.5.2 : does not overturn

Seating with raised side edges, clause 7.3.5.3 : /

**Rearwards overturning**

Rearwards overturning all seating with back rests, clause 7.3.6

Minimum force required: 158 N : does not overturn

Tilting seating, clause 7.4.2 : /

Reclining seating with leg rest, clause 7.4.3 : /

Reclining seating without leg rest, clause 7.4.4 : /

Rearwards stability test for rocking chairs, clause 7.4.5 : /

The test results comply with the requirements in clause 7.2 of EN 1022:2018.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and to others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.